BACON AND WEBB TRACT ISLAND LEVEE CONSTRUCTION DWR FEASIBILITY STUDY IMPORT MATERIAL SURVEYS

cc. (Michi Farrest. 20-33

Project Location: Bacon and Webb Tract Island, Sacramento – San Joaquin River Delta, California

Estimated Construction Duration : 5 years

Person Quoting/Title: Scott Thomas Sales Rep Company Syan Madison
Address: 2301 Napa - Valleyo tylua, Napa, CA 9458 Bistance from the Site: 45~50 Miles
Phone: 707-159-5839 Fax: 707-259-30(8
Ability to produce the Specified Quantities (yes/no): No. Lead Time Required: 3 houths.
Ability to produce the Specified Quantities (yes/no): No. Lead Time Required: 3 Months. Approximate Production Rate per Day: See water Kellow Ton Plant will be operated in the next 10 years (yes/no)
Recorded by: George Chiu Date: 2 - 20 - 03

Notes:

- 1) All unit cost quotation shall include approximate County tax.
- 2) All riprap materials shall conform to CALTRANS Standard Specifications Section 72 and gradation as specified in the attached tables, and shall be durable, dense, sound, angular, free from cracks, seams, and other natural causes and free from foreign matter.
- 3) All sand filter materials shall conform to CALTRANS Standard Specifications Section 72 and gradation as specified in the attached tables, and ASTM C33 and shall consist of sound, durable processed sands free from organic matter, clay balls, soft particles and other foreign matter.
- 4) Please indicate if the supplied material is form river-run, rock quarry, or process from alluvium, etc.

Notes	fa producti	a late: 20,000 Ton/year	5 -	production vale	for this
2	Belding -	50,000 con / year		no ject Potesti Republic on by	al to do move
3 -	Pip vap -	20,000 ~ 30,000 Ton/ 30,000 ~ 40,000 Ton/	year 6.	production vote	for their
4.	bockfu	37		plants.	Page 1 of 3

MATERIAL PRODUCT SHEET (Rock Berm Option)

Item	Materials	Material required for Duration	Estimated Quantities (CY)	Source of Materials (note 4)	Cost per Ton @ Plant	Cost per Ton deliver to Site	Remarks/ Assumptions
1	Sand Filter	Year 1 to 3	2,400,000	tives Run from their Madison plant.	# (0		
2	Bedding	Year 3 to 5	336,000	Lake Herman	#13		
3	Riprap, Large	Year 3 to 5	780,000		# 20 *		
4	Riprap, Small	Year 3 to 5	32,000		# 20 *		
5	Rockfill	Year 1 to 3	700,000	1	# 20 #		

SAND FILTER

Particle Size	Percent Passing
1.5-inch	100
#4 sieve	60 – 75
#200 sieve	3

BEDDING

Particle Size	Percent Passing
3-inch	100
1-inch	70 – 85
#4 sieve	40 – 60
#200 sieve	5

ROCKFILL (Caltrans 1/4 Ton)

Rock Mass	Percent Larger Than		
450 kg (1/2 Ton)	0-5		
220 kg (1/4 Ton)	50 – 100		
34 kg (75 Lbs)	95 – 100		

RIPRAP Large

Particle Weight (lbs)	Percent Passing
1,500	100
250	40 – 60
5	15 – 25
1	0-5

RIPRAP Small

THE PERSON NAMED IN	
Particle Weight (lbs)	Percent Passing
750	100
125	40 – 60
5	15 – 25
1	0-5

Look its the cost

More closely it

it is a real

wind stand

material may

cost \$\frac{1}{2} \cos a \frac{1}{2} \cos a

Cos a \frac{1}{2} \cos a

Coso à ton.
No Trucking/bargin

MATERIAL PRODUCT SHEET (Bench Option) Same as Rock Bever Option. Estimated Source of Materials Control of Materia

Item	Materials	Material required for Duration	Estimated Quantities (CY)	Source of Materials (note 4)	Cost per Ton @ Plant	Cost per Ton deliver to Site	Remarks/ Assumptions
1	Sand Filter	Year 1 to 3	3,070,000				
2	Bedding	Year 3 to 5	435,000				
3	Riprap, Large	Year 3 to 5	780,000				
4	Riprap, Small	Year 3 to 5	230,000				

SAND FILTER

Particle Size	Percent Passing
1.5-inch	100
#4 sieve	60 – 75
#200 sieve	3

BEDDING

Particle Size	Percent Passing
3-inch	100
1-inch	70 – 85
#4 sieve	40 – 60
#200 sieve	5

ROCKFILL (Caltrans ¼ Ton)

Rock Mass	Percent Larger Than
450 kg (1/2 Ton)	0-5
220 kg (1/4 Ton)	50 – 100
34 kg (75 Lbs)	95 – 100

RIPRAP Large

Particle Weight (lbs)	Percent Passing
1,500	100
250	40 – 60
5	15 – 25
1	0-5

RIPRAP Small

Particle Weight (lbs)	Percent Passing
750	100
125	40 – 60
5	15 – 25
1	0-5